

Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

1 SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND COMPANY IDENTIFICATION

1.1 Product ID

OA PETS FABRIC CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Identified applications:</u> Machine cleaner for all textile surfaces.

SU 22 Professional Applications.

PC35 Cleaning and cleaning agents (including solvent-based products)

Applications discouraged:. No discouraged uses

1.3 Datasheet supplier details

Fabb Sp. z o.o.

Hive. Komorowicka 39-41 PL 43-300 Bielsko-Biala

Phone: 33 47 11 174

oaisfair.com; mail: fabb@fabb

1.4 Emergency phone number

Emergency telephone number in Poland (open from 8:00 a.m. to 1 a.m. 6:00 a.m.): +48 501 108 172

112 (emergency phone), 998 (fire brigade), 999 (medical emergency)

2 SECTION 2:HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008:

Hazards due to physicochemical properties:

The mixture is not classified as hazardous in terms of physicochemical properties.

Health risks

Eye irritation Hazard category 2 [Eye Irrit. 2]

Irritating to eyes (H319)

Environmental hazards:

The mixture does not pose a threat to the environment. Under normal conditions of use, no effects on the environment are known or predicted

2.2 Label elements

Pictogram



GHS07

Signal word:

REMARK

Names of hazardous ingredients on the label:

Not applicable

Hazard statement(s)

H319 Irritating to eyes

Prevention:

L&W W

Page <u>1 of 13</u>



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

P102 Keep out of reach of children

P280 Wear eye protection/face protection.

Responding:

P305 + P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if they are and can be easily removed. Continue to rinse.

P337 + P313 If eye irritation persists: Seek medical advice/attention.

Complementary label elements:

EUH208 contains [1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one (iso e super)] May cause allergic reaction.

Warehouse in accordance with Regulation 648/2004/EC

Contains: <5% Non-ionic surfactants; fragrance composition [HEXYL CINNAMAL; ALPHA-ISOMETHYL IONONE; LINALOOL; Citronellol]

2.3 Other threats

The substances contained in the product do not meet the PBT or vPvB criteria according to Annex XIII of REACH. The product shall not contain substances on the list drawn up in accordance with Article 59(1) due to endocrine disrupting properties or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0,1 % by weight.

PBT substances (persistent, bioaccumulative and toxic substances)

vPvB substances (very persistent and very bioaccumulative substances)

3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance:

Nie not applicable

3.2 **Mixture**

		Uł.	Classif	ication in accordance with Re 1272/2008	egulation (EC) No
Identification numbers	Chemical name	mass in %	Pictogram , signal code	Hazard class and category codes	Hazard statement codes
CAS: 103818-93-5 EC (EINECS): Index number: Registration number proper: REACH	Alcohols, C9-11, ethoxylated propoxylated	1 <x<4< td=""><td>GHS07 Hag</td><td>Acute Tox. 4 Eye Irrit. 2,</td><td>H302 H319</td></x<4<>	GHS07 Hag	Acute Tox. 4 Eye Irrit. 2,	H302 H319
exemption: Polymer.					
CAS: 64-17-5 EC (EINECS): 200-578-6 Index number: 603-002-00-5 Registration r number: 01-2119457610- 43-xxxx	Ethyl alcohol [1]	1 <x<4< td=""><td>GHS02 GHS07 Dgr</td><td>Flam. Liq. 2 Eye Irrit. 2</td><td>H225H319</td></x<4<>	GHS02 GHS07 Dgr	Flam. Liq. 2 Eye Irrit. 2	H225H319
CAS:54549-24-5 EC (EINECS):259-217-6 Index number: Registration number proper:01- 2119492545-29-xxxx	Hexyl D-glucoside	≤1	GHS05 Dgr	Eye Dam. 1	H318
CAS:26468-86-0 EC (EINECS): polymer Index number:	Ethoxylated 2-ethylhekksanol	≤1	GHS05 Dgr	Eye Dam. 1	H318
CAS: 54464-57-2 EC (EINECS): 259-174-3 Index number: Registration number proper:	1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl-2- naphthyl)ethane-1-one (ISO E Super)	≤0.1	GHS07 GHS09 Hag	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411

[1] Substance with a nationally defined occupational exposure limit. See section 8 The full wording of H-phrases is given in point 16. Safety data sheets.

L&W W Page 2 of 13

60

Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

4 SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Lead or remove the injured person from the exposure area, put in a comfortable semi-reclining or

sitting position, provide calm, protect against heat loss. Control the breathing of the victim – in case

of such a need (lack of breath), use artificial respirationand provide medical assistance.

Skin contact: Remove contaminated clothing and wash the skin thoroughly with lukewarm, running water.

Contact with eyes: Rinse with plenty of cool water, preferably running, for at least 15 minutes. Remove contact lenses. Avoid strong

jets of water due to the risk of mechanical damage to the cornea. If the irritation persists, you should

consult an ophthalmologist.

Gastrointestinal tract: Provide medical assistance. DO NOT vomit without consulting your doctor. Rinse mouth with

plenty of water. Call a doctor.

4.2 The most important acute and delayed symptoms and effects of exposure

In contact with skin: Prolonged exposure may cause redness, dryness, skin irritation.

Allergies

There is always the possibility of allergy to one or several ingredients of the product. A low irritant claim does not mean that

susceptible individuals will not react unfavorably. Natural substances are particularly sensitive to seasonal and other changes that can contribute to unforeseen reactions. Unfortunately, often the only remedy in these situations is to determine the exact cause of the reaction (usually with

professional medical attention) and then avoid any exposure in the future

In contact with the eyes: Contact provokes pain and watery eyes, chemical burn with corneal ulcers.

When swallowed: Possible nausea, abdominal pain, vomiting.

After inhalation: Inhalation of vapours may cause headache and dizziness, nausea and vomiting

4.3 Indications for any immediate medical attention and special treatment of the victim

Show the safety data sheet or label/pack to the treating medical professional. In case of eye burns, wash the conjunctiva with water or saline (neutralizing solutions must not be used), to relieve pain - novocaine drops. Refer to an ophthalmologist. The workplace should be equipped with a shower and a position for rinsing eyes.

5 SECTION 5: FIRE MANAGEMENT

5.1 Extinguishing agents

Non-flammable product

Suitable extinguishing agents:

Foam, carbon dioxide, extinguishing powders, water – diffuse currents.

Unsuitable extinguishing agents:

Strong, compact stream of water - the risk of spreading fire.

5.2 Particular hazards of the substance or mixture

During combustion, toxic combustion products, m.in carbon monoxides, and other unidentified thermal decomposition products may be formed. Do not inhale the products of combustion, they can be dangerous to human health

5.3 Information for the fire brigade

Apply general protective measures typical of fire. Do not stay in a fire hazard zone without appropriate chemical-resistant clothing and breathing apparatus with independent air circulation. Do not allow extinguishing water to enter the sewage system, surface water and groundwater.

6 SECTION 6: HANDLING OF UNINTENTIONAL RELEASES TO THE ENVIRONMENT

L & W W Page 3 of 13



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

6.1 Personal precautions, protective equipment and emergency procedures

For persons not belonging to the assisting staff:

Restrict bystander access to the area of failure until the appropriate cleanup operations have been completed. In the case of large releases, isolate the affected area. Do not inhale vapours. Avoid contact with skin and eyes. Wear personal protective equipment. Ensure adequate ventilation.

For helpers:

Ensure that the recovery of failures and its consequences is carried out only by trained personnel. Wear personal protective equipment. Remove ignition sources.

6.2 Environmental precautions

Where larger quantities of product are released, steps must be taken to prevent it from spreading in the environment. Notify the relevant emergency services

6.3 Methods and materials to prevent the spread of contamination and to remove contamination

Small leak: Collect with mop, paper towel and place in waste containers

<u>Large leakage</u>: Collect the product with liquid-absorbing materials (e.g. sand, with pulacea, universal binders, silica, etc.) and place it in waste containers. Do not mix with other waste. Treat the collected material as waste. Clean and ventilate the contaminated area well.

6.4 References to other sections

For information on suitable personal protective equipment, see section 8. Waste management: see section 13.

7 SECTION 7: HANDLING AND THEIR HANDLING OF SUBSTANCES AND MIXTURES

STORAGE

7.1 Precautions for safe handling

Work in accordance with the rules of health and safety. Avoid eye and skin contamination. Keep unused containers tightly closed. Use as intended. Ensure adequate ventilation of the rooms in which the product is stored and used. Do not inhale vapours. Do not smoke

7.2 Conditions for safe storage, including information on any incompatibilities

Store only in a cool and well-ventilated place. Temperature range: $0 \text{ to } 40^{\circ}\text{C}$ (Separated from food, foodstuffs and animal feed. Avoid direct sunlight, heat sources and ignition. Separated from incompatible substances (see section 10). Packages that have already been opened seal and store upright to avoid leakage.

7.3 Specific end use(s)

See section 1.2 of the SDS.

No information on other uses.

8 SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTIVE EQUIPMENT

8.1 Control parameters

PL:2-Butoxyethanol [111-76-2]	
NDS	98 mg/m ³
NDSCh	200 mg/m ³
EN: 2-Aminoethanol [141-43-5]	
NDS	2.5 mg/m^3
NDSCh	7.5mg/m ³
PL:Propane-2-ol [67-63-0]	
NDS	900 mg/m^3
NDSCh	1200 mg/m^3

Legal basis:

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment Journal of Laws 2018.1286 of 2018.07.03, as amended [Journal of Laws 2020.61, 17.01.2020]

L & W W Page 4 of 13



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation of the Minister of Development, Labour and Technology of 18 February 2021 amending the Regulation on the maximum allowable concentrations and intensities of factors harmful to health in the work environment [Journal of Laws of 2021, item 325]

Regulation of the Minister of Health of 2 February 2011 on research and measurement of factors harmful to health in the work environment (Journal of Laws No. 33, item 166, 2011).

European Union

European Cinon				
2-Butoxyethanol	[111-76-2] Leather			
	TWA (8h)		STEL (15 minutes)	
mg/m ³	Ppm	mg/m ³	Ppm	
98	20	246	50	
2-Aminoethanol	[141-43-5]			
	TWA (8h)		STEL (15 minutes)	
mg/m ³	Ppm	mg/m ³	Ppm	
2,5	1	7,6	3	

Legal basis:

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values for the implementation of Council Directive 98/24/EEC on the protection of the health and safety of workers from the risks related to chemical agents at work Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work (sixth individual Directive within the meaning of Article 16(1) of Council Directive 89/391/EEC

Commission Directive 2006/15/EC of 07 February 2006 establishing a second list of indicative occupational exposure limit values for the implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC. Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work (sixth individual Directive within the meaning of Article 16(1) of Council Directive 89/391/EEC) COMMISSION DIRECTIVE 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure values for the implementation of Council Directive 98/24/EC and amending the Directive Commission 2000/39/EC. COMMISSION DIRECTIVE (EU) 2017/164 of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU

Value and DNEL and PNEC:

2-Butoxyethanol (butylglycol) [111-76-2]		
DNEL Employee		
Acute inhalation toxicity (systemic effects)	663 mg/m ³	
Chronic inhalation toxicity (systemic effects)	98 mg/m^3	
Acute skin toxicity (systemic effects)	89 mg/kg	
Chronic skin toxicity (systemic effects)	75 mg/kg	
DNEL Consumer		
Acute oral toxicity (systemic effects)	13,4 mg/kg	
Oral chronic toxicity (systemic effects)	3,2 mg/kg	
Acute inhalation toxicity (systemic effects)	426 mg/m^3	
Chronic inhalation toxicity (systemic effects)	49 mg/m^3	
Acute skin toxicity (systemic effects)	44.5 mg/kg	
Chronic skin toxicity (systemic effects) 38 mg/kg		
PNEC		
PNEC value Fresh water	8.8 mg/dm^3	
PNEC value Seawater	8.8 mg/dm^3	
PNEC value Sediment (freshwater) 8,14 mg/kg		
PNEC value Sediment (marine waters)		
PNEC Soil 2.8 mg/kg		
2-Aminoethanol [141-43-5]		



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

DNEL employee:		
Skin Long-term exposure (systemic effect):	1 mg/kg	
Inhalation Long-term exposure (systemic and local effect):	3,3 mg/m ³	
DNEL Consumers	<u> </u>	
Skin Long-term exposure (systemic effect):	0,24 mg/kg	
Inhalation Long-term exposure (systemic and local effect):	2 mg/m^3	
PNEC		
Freshwater	0,085 mg/l	
Sea water:	0,0085 mg/l	
Occasional release:	0,025 mg/l	
Sediment (fresh water):	0,425 mg/kg	
Sediment (Seawater):	0,0425 mg/kg	
Soil:	0,035 mg/kg	
STP:	100 mg/l	
Propane-2-ol [67-63-0]		
DNEL employees		
Skin long-term exposure	888 mg/kg/day	
Inhalation of long-term exposure	500 mg/m ³	
DNEL Consumers		
Skin long-term exposure	319 mg/kg/day	
Inhalation of long-term exposure	89 mg/m ³	
Long-term exposure after ingestion	26 mg/kg/day	
PNEC		
PNEC value Fresh water	140.9 mg/l	
PNEC value Seawater	140.9 mg/l	
PNEC value Sediment (freshwater)	552 mg/kg	
PNEC value Sediment (marine waters) 552 mg/kg		
PNEC Soil	28 mg/kg	

Recommended monitoring procedures

Procedures shall be used to monitor concentrations of hazardous components in the air and to control the air purity at the workplace - where available and justified at the workplace - in accordance with the relevant Polish or European Standards, taking into account the conditions prevailing at the site of exposure and appropriate measurement methodologies adapted to the operating conditions. The mode, type and frequency of tests and measurements should meet the requirements contained in the Regulation of the Ministry of Health of 2 February 2011 (Journal of Laws of 2011 No. 33, item 166).

8.2 Exposure control

8.2.1 Appropriate technical control measures

Necessary local and general ventilation. In the case of poor ventilation, use breath protection.

8.2.2 Personal protective equipment, such as personal protective equipment

Observe general safety and hygiene rules. During work, do not eat, drink or smoke. Ensure adequate ventilation. Before the break and after finishing work, wash your hands thoroughly. Avoid eye contamination.

Respiratory protection:

No ventilation is required for adequate ventilation. In the event of high vapour concentrations, failure or exceeding the maximum concentrations, use suitable respiratory protective equipment with a suitable organic vapour absorber.

Hand protection:

Wearchemical-resistant protective gloves. Recommended material for gloves: butyl rubber, nitrile rubber, neoprene.

In the case of short-term contact, use protective gloves with an effectiveness level of 2 or more (puncture time > 30 minutes). In case of prolonged contact, use protective gloves with an effectiveness level of 6 (puncture time > 480 minutes). Wear protective clothing.

The material from which the gloves are made must be impermeable and resistant to the product. The resistance of the materials from which the gloves are made must be checked before use. Information on the time of penetration of substances through the gloves should be obtained from the glove manufacturer and this time must be observed. It is recommended to change gloves regularly and replace



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

them immediately if there are any signs of wear, damage (tearing, perforation) or changes in appearance (color, elasticity, shape).

Skin and body protection: Recommended use of typical workplace work clothing

Eye protection: Wear sealed safety glasses

The workplace should be equipped with a shower and a position for rinsing eyes.

8.2.3 Environmental exposure control

Protect against introduction into the municipal water and sewage system and watercourses. Possible emissions from ventilation systems and process equipment should be checked to determine their compliance with the requirements of environmental law.

9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless Odour: Characteristic

Melting/freezing point: <0oC

Boiling point orinitial temperature

Boiling point and boiling range: <70 °C

Flammability of materials: Non-flammable

Lower and upper explosion limits: No data available

Flash point: not marked
Auto-ignition temperature [gases, liquids]: No data available
Decomposition temperature: No data available

pH: 8.5

Kinetic viscosity [mm²/s]:

Solubility:

Partition coefficient: n-octanol/water:

Vapour pressurey:

No data available

No data available

No data available

Relative density: No data available approx. 0.95 g/cm³

Relativey-pair density: No data available

Particle characteristics [solid]: N/A [liquid]

9.2 Other information

9.2.1 Information on physical hazard classes

Explosive properties: Does not create the possibility of self-explosion Oxidizing properties: The mixture has no oxidizing properties

9.2.2 Other safety features

No further information

10 SECTION 10:STABILITY and REACTIVITY

10.1 Reactivity

In conditions of storage and handling as intended – no reactivity.

10.2 Chemical stability

The product in conditions of proper storage and use (from 0 to 40 degrees Celsius, without prolonged exposure of sunlight) chemically stable

10.3 Possibility of dangerous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4 Conditions to avoid

High temperatures, open flame and other sources of ignition.

L & W W Page 7 of 13



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

10.5 **Incompatible materials**

Strong acids, oxidising substances

10.6 Hazardous decomposition products

Depending on the conditions of decomposition, complex mixtures of chemical substances can be released as a result: carbon monoxide (CO2), carbon monoxide and other organic compounds. For more information, see section 5.

11 SECTION 11:TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicity of mixture components

2-Aminoethanol

LD50 1515 mg/kg (oral, rat)

LC50 >1.3 mg/l 6h (IRT)(rat, respiratory tract)

2-Butoxyethanol

LD50 orally (Rat): ->200-2000 mg/kg LD50 dermal (Rat): >400-2000 mg/kg LC50 respiratory tract (Rat): >2-20mg/l/4h.

Propan-2-ol

LD50 Dermal Rat >2000 mg/kg LD50 Oral Rat >2000 mg/kg

N-(2-carboxyethyl)-N-alkyl-β-alanine sodium salt

LD50 >5000 mg/kg (oral)

Toxicity of the mixture

Estimated acute toxicity of the mixture

ATE MIX orally (mg/kg): >2000 Based on the available data, classification criteria are not met

ATE MIX leather (mg/kg): >2000 Based on the available data, the classification criteria are not met

ATE MIX inhalation (mg/l/4h): >20 Based on the available data, the classification criteria are not met

The acute toxicity of the mixture (ATEmix) has been calculated on the basis of the relevant conversion factor contained in Table 3.1.2 of Annex I to the CLP Regulation and subsequent dates. d.

Skin corrosion/irritation:

Irritating

Serious eye damage/eye irritation

Serious eye damage

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met

<u>Dearcinogenic</u>

Based on the available data, the classification criteria are not met

Dgerm cell mutagenic;

Based on the available data, the classification criteria are not met

Reproductive toxicity:

Based on the available data, the classification criteria are not met

Specific target organ toxicity – single exposure:

Based on the available data, the classification criteria are not met Specific target organ toxicity — repeated exposure:

Based on the available data, the classification criteria are not met

Aspiration hazard:
Based on the available data, the classification criteria are not met

Information on likely routes of exposure

In contact with skin: DProlonged exposure may cause redness, dryness, skin irritation.

Allergies

There is always the possibility of allergy to one or several ingredients of the product. A low irritant claim does not mean that individuals will not react unfavorably. Natural substances are particularly sensitive to seasonal and other changes that can contribute to unforeseen reactions. Unfortunately, often the only remedy in these situations is to determine the exact cause of the reaction (usually with professional medical attention) and then avoid any exposure in the future



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

<u>In contact with the eyes:</u> Kontact provokes pain and watery eyes, chemical burn with corneal ulcers.

If swallowed: Msevere nausea, abdominal pain, vomiting.

After inhalation: Inhalation of vapours may cause headache and dizziness, nausea and vomiting

11.2 Information about other threats

Endocrine disrupting properties:

The components of the mixture have no effect on the functioning of the endocrine system in accordance with the assessment criteria set out in Regulations: (EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605

Other information:
They are not known

12 SECTION 12:ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity of the mixture

The product is not classified as posing a risk to the environment.

To minimize long-term global pollution, consider the following:

- Reduce the consumption of disposable products and packaging.
- Participation in recycling activities
- Do not allow the product to enter water, sewage or soil

Toxicity of mixture components

2-Aminoethanol

LC50 (96 h) 349 mg/l, fish, Cyprinus carpio

LC50 (96 h) 170 mg/l, Carassius auratus

EC50 (48 h) 65 mg/l, Daphnia magna (

EC50 (72 h) 2.5 mg/l (growth grade), Selenastrum capricornutum

EC50 (72 h) 22 mg/l (growth rate), Scenedesmus subspicatus.

2-Butoxyethanol

LC50 fish >100 mg/1/96 h (Lepomis macrochirus)

EC50 > 100 mg/l/24h (Daphnia magna)

EC50 algae > 100 mg/l/7 days (Desmodesmus subspicatus)

NOEC (21 (d)fish > 100 mg/l, Brachydanio rerio

Propan-2-ol

LC50 Fish9640 mg/1 /96 h/: Pimephales promelas

EC50 Daphnia13299 mg/l /48 h/ Daphnia magna

EC50 other aquatic organisms:> 1000 mg/l/96 h/ Desmodesmus subspicatus

LC50 Fish11130 mg/l /96 h/ Pimephales promelas

EC50 other aquatic organisms> 1000 mg/l /72 h/ Desmodesmus subspicatus

N-(2-carboxyethyl)-N-alkyl-β-alanine sodium salt

LC50 > 100 mg/I/96h fish (Oncorhynchus mykiss)

LC50 > 100 mg/I/48h (Daphnia magna)

NOEC 96 hours Oncorynchus mykiss >100 mg/I

NOEC 48 hours Daphnia Magna >100 mg/I

12.2 Durability and degradability

The surfactants used in the product meet the biodegradability requirements in accordance with EC Regulation 648/2004

12.3 Bioaccumulation potential

For the mixture not specified.

12.4 No data are available for the mixture

Water soluble in any proportion

The mobility of substances depends on their hydrophilic and hydrophobic properties as well as abiotic and biotic conditions of the soil, including its structure, climatic conditions, season (in Poland, in a variable temperate climate) and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

12.5 PBT and vPvB assessment results

Substances in the product are not evaluated as PBT and vPvB

L&W W

Page 9 of 13



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

12.6 Endocrine disrupting properties

It does not contain substances whose effects may have adverse effects on the environment due to endocrine disrupting properties in accordance with the criteria laid down in Regulations [(EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605)]

12.7 Other harmful effects

The mixture is not classified as hazardous to the ozone layer. Other adverse effects on the environment (e.g. endocrine disrupting potential, increase in global warming) shall be considered.

13 SECTION 13: WASTE MANAGEMENT

13.1 Waste disposal methods

Product disposal:

Do not dispose of the product together with household waste, do not enter the sewage system. Do not allow contamination of groundwater and surface water.

Dispose of in accordance with local requirements. **Determine the waste code at the place of its production**

Proposed waste code: 20 01 29 * - detergents containing hazardous substances

Legal basis:

Act of 14 December 2012 on waste (Journal of Laws No. 0, item 21) Consolidated text Journal of Law 2018, item 21 Regulation of the Minister of Climate of 2 January 2020 on the waste catalogue, Journal of Laws of 2020, item 10 Act of 12 October 2017 amending the act on packaging and packaging waste management and some other acts Dz.U. 2017, item 2056

14 SECTION 14:TRANSPORT INFORMATION

14.1 UN number or ID

The mixture is not subject to the provisions on the carriage of dangerous goods contained in ADR (road transport), RID (rail transport), ADN (inland waterway transport), IMDG (maritime transport), ICAO/IATA (air transport).

14.2 Correct shipping name UN

Not applicable

14.3 Transport hazard class(s)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

The product does not pose a risk to the environment according to the criteria contained in the UN Model Regulations.

14.6 Special precautions for users

No special precautions.

14.7 Bulk sea transport in accordance with IMO instructions

Not applicable.

15 SECTION 15:REGULATORY INFORMATION

15.1 Safety, health and environmental legislation specific to a substance or mixture

Restrictions according to REACH, Annex XVII	Mixture: No. 3, 75	
Warehouse in accordance with Regulation 648/2004/EC	It contains: <5 non-ionic surfactants, <5% phosphonates, <5% phosphates,	

Other provisions

 1907/2006/EC Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulations (EEC) No 793/93

L & W W Page 10 of 13



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

and No 1488/94 as well as Council Directives 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

- 1272/2008/EC Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labelling
 and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending
 Regulation (EC) No 1907/2006.
- 3. Regulation of the Minister of Health of 20 April 2012 on the labelling of packaging of hazardous substances and hazardous mixtures and certain mixtures (Journal of Laws of 2012 No. 0, item 445). Consolidated text Journal of Law 2015, item 450
- 4. Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment Journal of Laws 2018.1286 of 2018.07.03
- 5. Act of 24 November 2017 amending the act on waste and some other acts, Journal of Laws of 2017, item 2422
- 6. Act of 12 October 2017 amending the act on packaging and packaging waste management and some other acts, Journal of Laws of 2017, item 2056
- 7. Act on the transport of dangerous goods of 19 August 2011 (Journal of Laws 227; item 1367) Consolidated text Journal of Law 2020, item 154,875
- 8. Government Declaration of 15 February 2021 on the entry into force of amendments to Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), done at Geneva on 30 September 1957 (Journal of Laws of 2021, item 874)
- 15.2 Chemical safety assessment

The supplier has not carried out a chemical safety assessment. For a mixture, a safety report is not required.

16 SECTION 16:OTHER INFORMATION

Other data sources:

IUCLID Data Bank (European Commission - European Chemicals Bureau).

ESIS – European Chemical Substances Information System (European Chemicals Bureau).

<u>Card issued by:</u> Małgorzata Krenke [Based on the supplier's safety data sheet; Calculation method]

Feed Reach Consulting; Email: biuro@frc.com.pl

The above information was based on currently available data characterizing the product and the experience and knowledge possessed in this area by the manufacturer. The data contained in the Charter should be considered only as an aid to the safe handling of transport, distribution, use and storage. The card is not a certificate of product quality. Andthe information contained in the Charter applies only to the eponymous product and cannot be current or sufficient for this product used in combination with other materials or different applications. The user of the product is obliged to comply with all applicable standards and regulations and is also liable for improper use of the information contained in the Charter or improper use of the product

Classification and procedures used to classify the mixture in accordance with Regulation (EC) 1272/2008 [CLP]		
Eye Dam. 1	H318	Calculation method
Irrit Skin, 2	H315	Calculation method

H-phrases (indicating hazard) used in points 2 and 3. Safety data sheets:

H315	Irritating to the skin;
Skin Irrit. 2	Skin irritation Hazard category 2
H319	Irritating to the eyes.
Eye Irrit. 2	Eye irritation Hazard category 2
H318	Causes serious eye damage
Eye Dam 1	Serious eye damage/eye irritation, Hazard category 1
H302	Harmful if swallowed
Acute Tox 4	Acute toxicity (oral), Hazard category 4
H314	Causes severe skin burns and eye damage;
Skin Corr. 1AB	Skin corrosion/irritation, Hazard category 1, subcategory 1B
H335	May cause respiratory irritation
STOT SE 3	Specific target organ toxicity – following single exposure Hazard category 3.



Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

H312	Harmful in contact with skin.	
Acute Tox 4	Acute toxicity, Dermal hazard category 4	
H332	Harmful if inhaled.	
Acute Tox4	Acute toxicity, Inhalation Khazard category 4	
H336	May make you feel drowsy or dizzy.	
STOT SE 3	Specific target organ toxicity – following single exposure Hazard category 3.	

Explanation of abbreviations and acronyms

PRICES	European Committee for Standardisation
C&L	Classification and labelling
CLP	Regulation on classification, labelling and packaging; Regulation (EC) No 1272/2008
CAS	Chemical Abstract Service Number
.COM	European Commission
CMR	Carcinogenic, mutagenic or toxic to reproduction
CSA	Chemical safety assessment
CSR C	Chemical safety assessment Chemical safety report
DMEL	J 1
	Derived level causing minimal change
DNEL	Derived no-change level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC	European Commission
EC ₅₀	Mean effective concentration
ECB	Bureau of Chemicals
ECHA	European Chemicals Agency
EC	Einecs and ELINCS number (see also Einecs and ELINCS)
EINECS	European list of existing commercial substances
ELINCS	European Chemical List
EN	European standard
EU	European Union
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IC ₅₀	Concentration causing 50 percent inhibition of a parameter
IUCLID	International Unified Database on Chemicals
IUPAC	International Union of Pure and Applied Chemistry
LC50	Mean lethal concentration
LD ₅₀	Average lethal dose
MSDS	Safety data sheet
PBT	Persistent, bioaccumulative and toxic
PEC	Predicted environmental concentration
PNEC(s)	Predicted concentration with no effect on the environment
EPP	Personal protective equipment
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and
	Restriction of Chemicals
SDS	Safety data sheet
SIEF	Substance Information Exchange Forum
STOT	Specific target organ toxicity
(STOT) RE	Repeated exposure
(STOT) SE	Single exposure
SVHC	Substances of very high concern
vPvB	Very persistent and very bioaccumulative substances
UN number	Material identification number in accordance with the ADR agreement.
ADR	International Convention concerning the Carriage of Dangerous Goods and Goods by Road
RID	Regulations for the International Carriage of Dangerous Goods by Rail).
IMGD	International Dangerous Goods Code.
шиор	International Dangerous Goods Code.

09°

Date of update: 11.05.2023

VERSION: 3.0/EN

OA PETS FABRIC CLEANER

drawn up in accordance with Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
MARPOL	International Convention for the Prevention of Pollution from Ships (MARPOL)
Ems	Emergency response procedures for ships carrying dangerous goods
NDS	Maximum concentration at the workplace (TLV-TWA) (OEL-TWA) (PEL-TWA
NDSCh	Maximum instantaneous concentration (TLV-STEL)
NDSP	Maximum Ceiling Concentration (TLV-CL)

Training

Before working with the product, the user should familiarize himself with the health and safety rules regarding the handling of chemicals, and in particular undergo appropriate on-the-job training